

Application Note

SH50050 Series Ceramic Tilt Sensor – Settling Time and Cross Coupling Graphs

SCOPE







The following graphs and chart depict the typical output response of the appropriate model sensor, for 'Settling Time' and 'Cross Coupling'. Please note that the Cross Coupling chart refers strictly to the SH50056 model sensor only!

DEFINITIONS

Settling Time – the amount of time it takes for the sensor output to stabilize to within 1% of its quiescent value, after a stepped movement.

Cross Coupling – the maximum deviation of the sensitive axis output, as the sensor is tilted in its orthogonal (perpendicular) axis.

SETTLING TIME GRAPHS



SPECTRON GLASS AND ELECTRONICS INC.

595 OLD WILLETS PATH
HAUPPAUGE NY 11788
PHONE: 631 582-5600
FAX: 631 582-5671




Specifications are subject to change without notice!

Doc.# SAN-209-2203


Application Note

SH50050 Series Ceramic Tilt Sensor – Settling Time and Cross Coupling Graphs

CROSS COUPLING (Note; applicable to SH50056 model only!)



LEGEND



SPECTRON GLASS AND ELECTRONICS INC.

595 OLD WILLETS PATH
HAUPPAUGE NY 11788
PHONE: 631 582-5600
FAX: 631 582-5671



Specifications are subject to change without notice!

Doc.# SAN-209-2203